


AD-A193 013 COMPUTATION EQUIPMENT FOR DAMAGE SIMULATION IN 1/1
LAMINATED COMPOSITES(U) DREXEL UNIV PHILADELPHIA PA
DEPT OF MECHANICAL ENGINEERING AN A S WANG 25 FEB 88
UNCLASSIFIED TR-5 AFOSR-TR-88-0311 AFORR-87-0013 F/G 12/5 NL





UNCLASSIFIED

②

DTIC FILE COPY

REPORT DOCUMENTATION PAGE

AD-A193 013

1a. SECURITY CLASSIFICATION Unclassified		1b. RESTRICTIVE MARKINGS	
2a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution unlimited		3. DISTRIBUTION/AVAILABILITY OF REPORT	
4a. MONITORING ORGANIZATION REPORT NUMBER(S) AFOSR-TR-88-		5. MONITORING ORGANIZATION REPORT NUMBER(S)	
6a. NAME OF MONITORING ORGANIZATION AFOSR/NA		7a. NAME OF MONITORING ORGANIZATION	
6b. ADDRESS (City, State, and ZIP Code) Building 410 Balline AFB, DC 20332-6448		7b. ADDRESS (City, State, and ZIP Code) Building 410 Balline AFB, DC 20332-6448	
8a. OFFICE SYMBOL (If applicable)		9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER AFOSR-87-0013	
10. SOURCE OF FUNDING NUMBERS PROGRAM ELEMENT NO 61102F PROJECT NO 2302 TASK NO R2 WORK UNIT ACCESSION NO		11. SOURCE OF FUNDING NUMBERS	
12. ABSTRACT (Include Security Classification) (U) - Computational Equipment for Damage Simulation in Laminated Composite			
13. TIME COVERED FROM 10/1/86 TO 9/30/87			
14. DATE OF REPORT (Year, Month, Day) February 25, 1988			
15. PAGE COUNT 8			
16. SUBJECT TERMS (Continue on reverse if necessary and identify by block number) MicroVax II, Computational Mechanics, Damage Simulation, Composite Materials			
17. ABSTRACT (Continue on reverse if necessary and identify by block number) This report describes the MicroVAX II-based computational equipment funded by the AFOSR Office of Scientific Research and installed at Drexel University. This equipment is dedicated exclusively for computational mechanics for composites materials research. Owing to its large computing capacity and availability to perform intensive computational tasks at substantially lower unit cost, this equipment has casted positive impact on current AFOSR programs and other research work conducted at Drexel University. In short, this computational equipment has already enhanced the quality and the quantity of composites materials research at Drexel University.			
21. ABSTRACT SECURITY CLASSIFICATION Unclassified		22a. TELEPHONE (Include Area Code) 201 267 6416	
22b. OFFICE SYMBOL 1		22c. OFFICE SYMBOL	

DD FORM 1473, 1-77

83 APR edition may be used until exhausted
All other editions are obsolete

SECURITY CLASSIFICATION OF THIS PAGE

U.S. Government Printing Office: 1985-507-041

UNCLASSIFIED

Computation Equipment for Damage Simulation in Laminated Composites

A. S. D. Wang

Department of Mechanical Engineering & Mechanics
Drexel University
Philadelphia, PA 19104

FINAL TECHNICAL REPORT

Grant No. AFOSR-87-0013

for

Director of Aerospace Sciences
Air Force Office of Scientific Research
Bolling AFB, DC 20332

Accession For	
NTIS	ORAS
DTIC	172
Unannounced	
Justification	
By	
Distribution/	
Availability	
Dist	Avail. &/or Special
A-1	

Approved for Public Release: Distribution Unlimited

February, 1988

FOREWORD

This report describes the MicroVAX II-based computational equipment funded by the Air Force Office of Scientific Research and installed at Drexel University. This equipment is dedicated exclusively for computational mechanics for composite materials research. Owing to its large computing capacity and availability to perform intensive computational tasks at substantially lower unit cost, this equipment has casted positive impacts on current AFOSR programs and other research work conducted at Drexel University. In short, this computational equipment has already enhanced the quality and the quantity of composite materials research at Drexel University.

INTRODUCTION

In 1987, a computer system has been requisitioned through funding from AFOSR/URIP dedicated to support extensive computations for studying damage mechanics in composite materials. This system was based on Digital Equipment Corporation's MicroVAX II model with a 32-bit CPU architecture. Since its installation, this facility has significantly enhanced our capability and productivity in research on damage mechanics in composites. Owing to its large computational capacity and instant availability, substantially more computational simulations covering a wide range of parameters can now be performed. Consequently, the accentuated stress fields associated with local damage mechanisms and their subsequent growth behaviors can also be examined in more detail.

COMPUTATION EQUIPMENT FOR COMPOSITE MATERIALS RESEARCH

With funds provided by AFOSR and a matching fund from Drexel University, a system-package purchase arrangement was made with Hamilton Avnet Electronics Corporation of Cherry Hill, N. J.

The hardware components and software in the MicroVAX II system are:

- MicroVAX II 32-bit CPU
- Floating Point Processing Unit
- 13 M bytes of RAM memory
- 8 slot Q-bus backplane
- 16 line serial communication board
- 71 M bytes 5.25 Winchester disk
- 380 M bytes 5.25 Winchester disk with ESDi controller

- 95 M bytes Compactape cartridge backup system
- 6250/1600 bpi reel-to-reel streaming tape transport with controller
- Laser printer with 300 by 300 dots-per-inch, Tektronix-compatible bit-map graphics capability
- 2 medium resolution graphics terminals
- Esprit terminal, with slave serial dot-matrix printer, serving as system console
- 60" system cabinet with power supply
- MicroVMS operating system
- Fortran compiler

In addition, 2 Macintosh personal computers were also purchased through Drexel University Equipment Support Group at a discount price. These two units served as both stand-alone workstations and remote terminals to the MicroVAX II system.

The MicroVAX II facility is currently housed in the Computation Laboratory for Composite Materials Research. It is directly connected to the VAX-750 Computer maintained by the Department of Mechanical Engineering and Mechanics. This linkage affords direct access to the storage and software library of the VAX-750. Plans are being made to network the MicroVAX II system to the new IBM 3090 super-mainframe (configured with vector processor) now being installed at Drexel University Computing Services. Through telephone connection, access to NSF national supercomputing centers is also being planned.

An array of computational softwares has been installed in the MicroVAX II system. This includes both general purpose packages and special in-house developed programs. There are finite element codes for two-dimensional and three-dimensional crack growth simulations, for impact fracture simulations, for linear and nonlinear analysis of time-dependent behaviors; there are finite difference codes for asymptotic singularity analysis in the elastic and plastic ranges, and other codes for mechanistic and probabilistic simulation of failure processes.


Some photographs of the MicroVAX II system at the Computation Laboratory for Composite Materials Research are shown in the Appendix.

CONCLUSION


The dedicated MicroVAX II-based equipment furnishes the necessary capability to perform computational intensive tasks in mechanics of advanced composite materials at substantially lower unit cost to our sponsor. Making this computing equipment available has already yielded a definitive enhancement to the composite materials research thrusts at Drexel University.

APPENDIX


Photographs of MicroVAX II system in
Computation Laboratory for Composite Materials Research




MicroVAX II system




MicroVAX II, disk drives and
tape drives in system cabinet



Console terminal and printer



Graphics terminals



Laser printer, pen plotter and modem

END

DATE

FILMED

DTIC

6-88